

TEST BANK

Beckmann and Ling's Obstetrics and Gynecology

Robert Casanova; Alice R. Goepfert; Nancy Hueppchen; Patrice M. Weiss; Anna Marie Connolly

9th Edition




Table of Contents

Section I General Obstetrics and Gynecology

1. Women's Health Examination and Women's Health Care Management
2. The Obstetrician-Gynecologist's Role in Screening and Preventive Care
3. Ethics, Liability, and Patient Safety in Obstetrics and Gynecology
4. Embryology and Anatomy

Section II Obstetrics

5. Maternal-Fetal Physiology
6. Preconception and Antepartum Care
7. Genetics and Genetic Disorders in Obstetrics and Gynecology
8. Intrapartum Care
9. Abnormal Labor and Intrapartum Fetal Surveillance
10. Immediate Care of the Newborn
11. Postpartum Care
12. Postpartum Hemorrhage
13. Multifetal Gestation
14. Fetal Growth Abnormalities: Fetal Growth Restriction and Macrosomia
15. Preterm Labor
16. Third-Trimester Bleeding
17. Premature Rupture of Membranes
18. Postterm Pregnancy
19. Ectopic Pregnancy and Pregnancy Loss

Section III Medical and Surgical Disorders in Pregnancy

20. Endocrine Disorders
21. Gastrointestinal, Renal, and Surgical Complications
22. Cardiovascular and Respiratory Disorders
23. Hematologic and Immunologic Complications
24. Infectious Diseases
25. Neurologic and Psychiatric Disorders

Section IV Gynecology

26. Family Planning
27. Sterilization
28. Vulvovaginitis
29. Sexually Transmitted Infections
30. Pelvic Organ Prolapse, Urinary Incontinence, and Urinary Tract Infection
31. Endometriosis
32. Dysmenorrhea and Chronic Pelvic Pain
33. Disorders of the Breast
34. Gynecologic Procedures
35. Human Sexuality
36. Sexual Assault and Domestic Violence

Section V Reproductive Endocrinology and Infertility

37. Reproductive Cycles
38. Puberty
39. Amenorrhea and Abnormal Uterine Bleeding
40. Hirsutism and Virilization
41. Menopause
42. Infertility
43. Premenstrual Syndrome and Premenstrual Dysphoric Disorder

Beckmann and Ling's Obstetrics and Gynecology Edition 9th edition Test Bank
Chapter 1: Women's Health Examination and Women's Health Care Management

1:

Elevating the head of the examining table approximately 30 degrees facilitates

- a. The observation of the patient's responses
- b. The ability of the patient to comfortably look around to distract her from the examination
- c. The contraction of the abdominal wall muscle groups, making the examination easier
- d. Comfortable blood pressure measurement
- e. The physician not being distracted by eye contact with the patient

2:

Which of the following uterine positions is most associated with dyspareunia?

- a. Midposition, retroflexed
- b. Retroverted, anteflexed
- c. Anteverted, anteflexed
- d. Retroverted, retroflexed
- e. Midposition, anteflexed

3:

Inquiry concerning adult and child history of sexual abuse should be included in the sexual history

- a. if time permits
- b. in visits where there are suspicious physical findings but not otherwise
- c. in visits where sufficient time is allotted
- d. in all new patient visits
- e. in visits where a specific indication is noted

4:

Peau d'orange change in the breast is associated with

- a. edema of the lymphatics
- b. jaundice
- c. too vigorous breastfeeding
- d. overly tight undergarments
- e. galactorrhea

5:

Which kind of speculum is often most suitable for examination of the nulliparous patient?

- a. Morgan's speculum
- b. Endoscopic speculum
- c. Ling speculum
- d. Graves speculum
- e. Pederson speculum

6:

Which uterine configuration is most difficult to assess for size, shape, configuration, and mobility?

- a. Midposition
- b. Anteverted
- c. There is no difference in difficulty
- d. Retroverted

7:

Which type of speculum is most appropriate for the examination of a parous menstrual woman?

- a. Ling speculum
- b. Graves speculum
- c. Pederson speculum
- d. Endoscopic speculum
- e. Morgan's speculum

8:

Menopause is defined as the cessation of menses for greater than

- a. 9 Months
- b. 36 Months
- c. 12 Months
- d. 18 Months
- e. 24 Months

9:

In a woman describing sufficiently frequent sexual encounters, infertility typically is described as a failure to conceive after

a:

3 months

b:

9 months

c:

12 months

d:

18 months

e:

6 months

10:

During bimanual examination of the adnexa in normal premenopausal women, the ovaries are palpable

a:

all the time

b:

almost never

c:

about one-half of the time

d:

about three-quarters/most of the time

e:

about one-quarter of the time

11:

If a patient becomes uncomfortable with a topic during a history-taking session, the best response of the physician is to

a:

address the patient's discomfort in a positive and supportive manner

b:

discontinue discussion of the topic to avoid further patient discomfort

c:

discontinue discussion to avoid damage to the patient-physician relationship

d:

continue after making a joke to relieve tension

e:

ignore the discomfort and proceed with questioning

12:

Which of the following statements about the steps in the breast examination is correct?

a:

Palpation is done first

b:

Palpation and inspection are done simultaneously

c:

Palpation is only done if inspection is abnormal

d:

Palpation may be done with detailed inspection if a woman is especially modest

e:

Inspection is done first

13:

Questions that promote the physician's fullest understanding of the patient's situation are best characterized as

a:

compassionate

b:

chronological

c:

sympathetic

d:

emphatic

e:

evidence based

14:

The last menstrual period is dated from the

a:

first day of the last normal period

b:

last day of the last normal period

c:

first day of the last bleeding episode

d:

last day of the last bleeding episode

15:

The passage of clots during menstruation

a:

is always abnormal

b:

may be either normal or abnormal

c:

is always normal

d:

is extremely rare

16:

In the abbreviation of the obstetric history-G[1] P[2] [3] [4] [5]-"1" stands for the number of

a:

living children

b: pregnancies

c:

term pregnancies

d:

preterm pregnancies

e:

abortions

17:

In the abbreviation of the obstetric history-G[1] P[2] [3] [4] [5]-"2" stands for the number of

a:

living children

b:

pregnancies

c:

term pregnancies

d:

preterm pregnancies

e:

abortions

18:

In the abbreviation of the obstetric history-G[1] P[2] [3] [4] [5]-"3" stands for the number of

a:

living children

b: pregnancies

c:

term pregnancies

d:

preterm pregnancies

e:

abortions

19:

In the abbreviation of the obstetric history-G[1] P[2] [3] [4] [5]-"4" stands for the number of

a:

living children

b:

pregnancies

c:

term pregnancies

d:

preterm pregnancies

e:

abortions

20:

In the abbreviation of the obstetric history-G[1] P[2] [3] [4] [5]-"5" stands for the number of

a:

living children

b:

pregnancies

c:

term pregnancies

d:

preterm pregnancies

e:

abortions

21:

Tanner's classification with respect to the breast relates to changes in the breast

a:

before and after lactation

b:

associated with malignancy

c:

associated with maturation

d:

associated with galactorrhea

e:

associated with fibrocystic changes

22:

The rectovaginal examination should be performed

a:

after 52 years of age

b:

at the initial patient visit

c:

only for the evaluation of chronic pelvic pain

d:

only when there are symptoms of pelvic relaxation

e:

at intervals of 5 years

23:

In the gynecologic history, it is often possible to distinguish between vaginitis and pelvic inflammatory disease by inquiring about

a:

the duration of the pain

b:

the symptoms present (fever/chills, itching)

c:

the timing of pain in relation to menses

d:

the association of pain with body position

e:

the use of topical medications

24:

The most common reason for failure to visualize the cervix during the speculum examination is

a:

failure to use lubricant

b:

a full bladder

c:

failure to fully insert the speculum

d:

use of a speculum that has not been warmed

e:

use of the wrong speculum

25:

Prehypertension is defined as a blood pressure range of

a:

80-90/120-139

b:

90-100/120-139

c:

80-90/110-129

d:

70-80/110-129

e:

70-80/120-139

ANS: 1-25.

[A, D, D, A, E, D, B, C,C,C,A,E,D,A,B,B,C,D,E,A,C,B,E,C,A]