

TEST BANK

Lehne's Pharmacotherapeutics

for Advanced Practice Nurses and Physician Assistants

Laura D. Rosenthal, Jacqueline Rosenjack Burchum

2nd Edition




Table of Contents

UNIT I: INTRODUCTION

1. Prescriptive Authority
2. Rational Drug Selection and Prescription Writing
3. Promoting Positive Outcomes of Drug Therapy

UNIT II: BASIC PRINCIPLES OF PHARMACOLOGY

4. Pharmacokinetics, Pharmacodynamics, and Drug Interactions
5. Adverse Drug Reactions and Medication Errors
6. Individual Variation in Drug Responses
7. Genetic and Genomic Considerations in Pharmacotherapeutics NEW!

UNIT III: DRUG THERAPY ACROSS THE LIFE SPAN

8. Drug Therapy During Pregnancy and Breast-Feeding
9. Drug Therapy in Pediatric Patients
10. Drug Therapy in Geriatric Patients

UNIT IV: PERIPHERAL NERVOUS SYSTEM DRUGS

11. Basic Principles of Neuropharmacology
12. Physiology of the Peripheral Nervous System
13. Muscarinic Agonists
14. Muscarinic Antagonists NEW!
15. Adrenergic Agonists
16. Adrenergic Antagonists
17. Indirect-Acting Antiadrenergic Agents

UNIT V: CENTRAL NERVOUS SYSTEM DRUGS

18. Introduction to Central Nervous System Pharmacology
19. Drugs for Parkinson Disease
20. Drugs for Alzheimer Disease
21. Drugs for Seizure Disorders
22. Drugs for Muscle Spasm and Spasticity

UNIT VI: DRUGS FOR PAIN

23. Local Anesthetics
24. Opioid Analgesics, Opioid Antagonists, and Nonopioid Centrally Acting Analgesics
25. Drugs for Headache

UNIT VII: PSYCHOTHERAPEUTIC DRUGS

26. Antipsychotic Agents and Their Use in Schizophrenia
27. Antidepressants
28. Drugs for Bipolar Disorder
29. Sedative-Hypnotic Drugs
30. Management of Anxiety Disorders
31. Central Nervous System Stimulants and Attention-Deficit/Hyperactivity Disorder

UNIT VIII: SUBSTANCE USE DISORDERS

32. Substance Use Disorders I: Basic Considerations
33. Substance Use Disorders II: Alcohol
34. Substance Use Disorders III: Nicotine and Smoking
35. Substance Use Disorders IV: Major Drugs of Abuse Other Than Alcohol and Nicotine

UNIT IX: DRUGS THAT AFFECT THE HEART, BLOOD VESSELS, BLOOD, AND BLOOD VOLUME

36. Review of Hemodynamics
37. Diuretics
38. Drugs Acting on the Renin-Angiotensin-Aldosterone System
39. Calcium Channel Blockers
40. Vasodilators
41. Drugs for Hypertension
42. Drugs for Heart Failure
43. Antidysrhythmic Drugs
44. Prophylaxis of Atherosclerotic Cardiovascular Disease: Drugs That Help Normalize Cholesterol and Triglyceride Levels
45. Drugs for Angina Pectoris
46. Anticoagulant, Antiplatelet, and Thrombolytic Drugs
47. Drugs for Deficiency Anemias

UNIT X: DRUGS FOR ENDOCRINE DISORDERS

48. Drugs for Diabetes Mellitus
49. Drugs for Thyroid Disorders

UNIT XI: WOMEN'S HEALTH

- 50. Estrogens and Progestins: Basic Pharmacology and Noncontraceptive Applications
- 51. Birth Control

UNIT XII: MEN'S HEALTH

- 52. Androgens
- 53. Drugs for Erectile Dysfunction and Benign Prostatic Hyperplasia

UNIT XIII: ANTI-INFLAMMATORY, ANTIALLERGIC, AND IMMUNOLOGIC DRUGS

- 54. Review of the Immune System
- 55. Childhood Immunization
- 56. Antihistamines
- 57. Cyclooxygenase Inhibitors: Nonsteroidal Anti-inflammatory Drugs and Acetaminophen
- 58. Glucocorticoids in Nonendocrine Disorders

UNIT XIV: DRUGS FOR BONE AND JOINT DISORDERS

- 59. Drug Therapy of Rheumatoid Arthritis
- 60. Drug Therapy of Gout
- 61. Drugs Affecting Calcium Levels and Bone Mineralization

UNIT XV: RESPIRATORY TRACT DRUGS

- 62. Drugs for Asthma and Chronic Obstructive Pulmonary Disease
- 63. Drugs for Allergic Rhinitis, Cough, and Colds

UNIT XVI: GASTROINTESTINAL DRUGS

- 64. Drugs for Peptic Ulcer Disease
- 65. Laxatives
- 66. Other Gastrointestinal Drugs

UNIT XVII: NUTRITION AND COMPLIMENTARY THERAPIES

- 67. Vitamins
- 68. Drugs for Weight Loss
- 69. Complementary and Alternative Therapies

UNIT XVIII: THERAPY OF INFECTIOUS AND PARASITIC DISEASES

- 70. Basic Principles of Antimicrobial Therapy
- 71. Drugs That Weaken the Bacterial Cell Wall I: Penicillins
- 72. Drugs That Weaken the Bacterial Cell Wall II: Other Drugs
- 73. Bacteriostatic Inhibitors of Protein Synthesis
- 74. Aminoglycosides: Bactericidal Inhibitors of Protein Synthesis
- 75. Sulfonamides and Trimethoprim
- 76. Drug Therapy of Urinary Tract Infections
- 77. Drugs Therapy for Tuberculosis
- 78. Miscellaneous Antibacterial Drugs
- 79. Antifungal Agents
- 80. Antiviral Agents I: Drugs for Non-HIV Viral Infections
- 81. Antiviral Agents II: Drugs for HIV Infection and Related Opportunistic Infections
- 82. Drug Therapy of Sexually Transmitted Diseases
- 83. Anthelmintics, Antiprotozoal Drugs, and Ectoparasiticides

UNIT XIX: CANCER THERAPY

- 84. Introduction to Immunomodulators NEW!
- 85. Supportive Care of Patients Receiving Anticancer Drugs
- 86. Drugs for Cancer Pain

UNIT XX: Drugs for Eyes, Ears, and Skin

- 87. Drugs for the Eye
- 88. Drugs for the Skin
- 89. Drugs for the Ear

UNIT XXI: DRUG THERAPY IN ACUTE CARE

- 90. Agents Affecting the Volume and Ion Content of Body Fluids
- 91. Management of ST-Elevation Myocardial Infarction
- 92. Additional Acute Care Drugs

Chapter 1: Prescriptive Authority

Rosenthal: Lehne's Pharmacotherapeutics for Advanced Practice Nurses and Physician Assistants 2nd Edition.

Test Bank

Multiple Choice

1. An APRN works in a urology clinic under the supervision of a physician who does not restrict the types of medications the APRN is allowed to prescribe. State law does not require the APRN to practice under physician supervision. How would the APRN's prescriptive authority be described?

- a. Full authority
- b. Independent
- c. Without limitation
- d. Limited authority

ANS: B

The APRN has independent prescriptive authority because the regulating body does not require that the APRN work under physician supervision. Full prescriptive authority gives the provider the right to prescribe independently and without limitation. Limited authority places restrictions on the types of drugs that can be prescribed.

DIF: Cognitive Level: Comprehension REF: p.1 TOP: Nursing Process: I MSC: NCLEX Client Needs Category: Physiologic Integrity: Pharmacologic and Parenteral Therapies

2. Which factors increase the need for APRNs to have full prescriptive authority?

- a. More patients will have access to health care.
- b. Enrollment in medical schools is predicted to decrease.
- c. Physician's assistants are being utilized less often.
- d. APRN education is more complex than education for physicians.

ANS: A

Implementation of the Affordable Care Act has increased the number of individuals with health care coverage, and thus the number who have access to health care services. The increase in the number of patients creates the need for more providers with prescriptive authority. APRNs can fill this practice gap.

DIF: Cognitive Level: Comprehension REF: p. 2 TOP: Nursing Process: Implementation MSC: NCLEX Client Needs Category: Physiologic Integrity: Pharmacologic and Parenteral Therapies

3. Which factors could be attributed to limited prescriptive authority for APRNs? Select all that apply.

- a. Inaccessibility of patient care
- b. Higher health care costs
- c. Higher quality medical treatment
- d. Improved collaborative care
- e. Enhanced health literacy

ANS: A, B

Limiting prescriptive authority for APRNs can create barriers to quality, affordable, and accessible patient care. It may also lead to poor collaboration among providers and higher health care costs. It would not directly impact patient's health literacy.

DIF: Cognitive Level: Comprehension REF: p. 2 TOP: Nursing Process: Implementation MSC: NCLEX Client Needs Category: Physiologic Integrity: Pharmacologic and Parenteral Therapies

4. Which aspects support the APRN's provision for full prescriptive authority? Select all that apply.

- a. Clinical education includes prescription of medications and disease processes.
- b. Federal regulations support the provision of full authority for APRNs.
- c. National examinations provide validation of the APRN's ability to provide safe care.
- d. Licensure ensures compliance with health care and safety standards.
- e. Limiting provision can decrease health care affordability.

ANS: A, C, D

APRNs are educated to practice and prescribe independently without supervision. National examinations validate the ability to provide safe and competent care. Licensure ensures compliance with standards to promote public health and safety. Limited prescriptive authority creates numerous barriers to quality, affordable, and accessible patient care.

DIF: Cognitive Level: Comprehension REF: pp. 1-2 TOP: Nursing Process: Implementation MSC: NCLEX Client Needs Category: Physiologic Integrity: Pharmacologic and Parenteral Therapies

5. Which aspects support the APRN's provision for full prescriptive authority? Select all that apply.

- a. Clinical education includes prescription of medications and disease processes.
- b. Federal regulations support the provision of full authority for APRNs.
- c. National examinations provide validation of the APRN's ability to provide safe care.
- d. Licensure ensures compliance with health care and safety standards.

ANS: A, C, D

APRNs are educated to practice and prescribe independently without supervision. National examinations validate the ability to provide safe and competent care. Licensure ensures compliance with standards to promote public health and safety. Limited prescriptive authority creates numerous barriers to quality, affordable, and accessible patient care.

DIF: Cognitive Level: Comprehension REF: pp. 1-2 TOP: Nursing Process: Implementation MSC: NCLEX Client Needs Category: Physiologic Integrity: Pharmacologic and Parenteral Therapies

6. A family nurse practitioner practicing in Maine is hired at a practice across state lines in Virginia. Which aspect of practice may change for the APRN?

- a. The APRN will have less prescriptive authority in the new position.
- b. The APRN will have more prescriptive authority in the new position.

- c. The APRN will have equal prescriptive authority in the new position.
- d. The APRN's authority will depend on federal regulations.

ANS: A

Virginia allows limited prescriptive authority, while Maine gives full authority to certified nurse practitioners. The federal government does not regulate prescriptive authority.

DIF: Cognitive Level: Comprehension REF: p. 3TOP: Nursing Process: Implementation MSC: NCLEX Client Needs Category: Physiologic Integrity: Pharmacologic and Parenteral Therapies

Chapter 2: Rational Drug Selection and Prescription Writing

Rosenthal: Lehne's Pharmacotherapeutics for Advanced Practice Nurses and Physician Assistants 2nd Edition.

Test Bank

Multiple Choice

7. How can collaboration with a pharmacist improve positive outcomes for patients? Select all that apply.

- a. Pharmacists can suggest foods that will help with the patient's condition.
- b. Pharmacists have additional information on drug interactions.
- c. The pharmacist can suggest adequate medication dosing.
- d. Pharmacists have firsthand knowledge of the facility formulary.
- e. Pharmacy can alter prescriptions when necessary to prevent patient harm.

ANS: B, C, D

Providers should collaborate with pharmacists because they will likely have additional information on formulary, drug interactions, and suggestions for adequate medication dosing. Dietitians can make food recommendations to treat the patient's condition. The pharmacist can contact the prescriber about questionable prescriptions, but cannot alter the prescription without notification of and approval by the provider.

DIF: Cognitive Level: Comprehension REF: p. 9 TOP: Nursing Process: Diagnosis MSC: NCLEX Client Needs Category: Physiologic Integrity: Reduction of Risk Potential

8. A patient presents with delirium tremens requiring Ativan administration. The provider of care is not in the facility. Which action by the nurse is most appropriate?

- a. Obtain a telephone order.
- b. Contact the on-call hospitalist.
- c. Obtain an order from the charge nurse.
- d. Wait for a written Ativan order.

ANS: A

In an emergency situation, such as delirium tremens with seizure activity, it is acceptable to provide a telephone order. Contacting the on-call hospitalist or waiting for a written order would take more time than available for a patient with high seizure risk. Writing an order is outside the scope of practice for the charge nurse.

DIF: Cognitive Level: Application REF: p. 7 TOP: Nursing Process: Implementation MSC: NCLEX Client Needs Category: Physiologic Integrity: Reduction of Risk Potential

9. A patient with chronic pain calls the provider's office to request a refill on their OxyContin. Which action is most appropriate?

- a. Fax an order to the pharmacy.
- b. Schedule an appointment with the patient.

- c. Verify the patient's adherence to drug regimen.
- d. Determine the patient's current medication dosage.

ANS: B

Schedule II medications are not eligible for refills, and prescriptions must be handwritten. It is important to verify the patient's adherence to the drug regimen and determine the current dosage of medication; however, this can be accomplished by scheduling an appointment and evaluating the patient in person.

DIF: Cognitive Level: Application REF: p. 8TOP: Nursing Process: Implementation MSC: NCLEX Client Needs Category: Physiologic Integrity: Reduction of Risk Potential

10. A patient prescribed amoxicillin for streptococcal pharyngitis reports new onset of a flat, itchy red rash on the chest and neck. Which action is most important?

- a. Provide a different prescription.
- b. Discontinue the medication.
- c. Prescribe an antihistamine cream.
- d. Assess for respiratory compromise.

ANS: B

The priority action is to discontinue the medication to prevent worsening of the patient's symptoms. A different prescription would be provided, topical antihistamine may be administered, and the patient would be assessed for respiratory involvement, but these actions would not be performed first.

DIF: Cognitive Level: Application REF: p. 6TOP: Nursing Process: Implementation MSC: NCLEX Client Needs Category: Physiologic Integrity: Reduction of Risk Potential

11. A patient taking three medications for hypertension is diagnosed with COPD. Which action should be taken prior to prescribing medications to treat COPD?

- a. Obtain baseline laboratory values.
- b. Obtain a complete medication history.
- c. Assess liver enzyme levels.
- d. Determine if patient has insurance coverage.

ANS: B

Prior to adding medications to the treatment regimen, it is essential to assess for any potential drug-drug interactions through a complete medical history. Baseline laboratory values are not necessary for COPD treatment. Liver enzyme levels may give insight into the possibility of altered metabolism but would not be the first action. The presence of insurance coverage would affect the patient's access to treatment but may not affect the type of medication prescribed.

DIF: Cognitive Level: Application REF: p. 6TOP: Nursing Process: Implementation MSC: NCLEX Client Needs Category: Physiologic Integrity: Reduction of Risk Potential

12. A patient with diabetes reports losing their job and an inability to purchase required medications. Which action is most appropriate?

- a. Provide a 7-day sample pack.
- b. Decrease the daily dose by half.
- c. Contact a different pharmacy.
- d. Prescribe a different medication.

ANS: C

Providing a 7-day sample will address the patient's immediate need, but will not help with the patient's long-term need for medication. Decreasing the daily dose will diminish the effectiveness of the medication. Selecting a different pharmacy could decrease the cost of the medication, as costs vary based on the location and the pharmacy dispensing the medication. Prescribing a different medication would be the last option.

DIF: Cognitive Level: Application REF: p. 5TOP: Nursing Process: Implementation MSC: NCLEX Client Needs Category: Physiologic Integrity: Reduction of Risk Potential

13. A patient recently prescribed hydrocodone calls to report they are unable to fill the prescription. Which factors could contribute to the inability to fill the prescription? Select all that apply.

- a. DEA number missing from prescription
- b. Prescription sent via electronic messenger
- c. Dose higher than typically prescribed
- d. Prescriber license number not included
- e. Patient name and date of birth were handwritten

ANS: A, B, D

In order to fill a hydrocodone prescription, the prescriber name, license number, DEA number, and contact information must be included. Schedule II medications, such as narcotics, must be prescribed using written prescriptions. Though the pharmacist may question the high dosing, that would not prevent filling the prescription. The patient's name and date of birth must be included on the prescription, but there are no regulations that the name cannot be handwritten.

DIF: Cognitive Level: Comprehension REF: pp. 6-8TOP: Nursing Process: Diagnosis MSC: NCLEX Client Needs Category: Physiologic Integrity: Reduction of Risk Potential